



**FPI2500**

**THE NEW, INTELLIGENT  
TABLE TOP INSERTER.  
WORKS WITH YOU,  
GROWS WITH YOU.**

# FPI2500

## FROM THE GET GO: YOUR EASY INTRO TO PROFESSIONAL INSERTING

## OUTGOING MAIL? DONE IN A SNAP! THANKS TO SYSTEM INTELLIGENCE AND INTUITIVE EASE OF OPERATION

Whoever said automated letter insertion systems are complicated? The FPI2500 will quickly convince you otherwise. Professionally fold and insert business correspondence, invoices, promotions etc. with no tricky training.

The intuitive control display and system intelligence team up perfectly to make it possible. The FPI2500 does the thinking with every operation. The system configures itself and automatically selects the type of fold. You just confirm it on the display panel. Satisfaction is virtually guaranteed.


While the FPI2500 processes your letters or folds your advertising flyers, you can get back to more serious tasks. The tandem function enables feeder stations to work without interruption until the inserting job is finished.

**PERFECT FOR YOUR »DAILY MAIL« TOO**  
Process miscellaneous daily mail without reconfiguration. Automatically add an additional item or return envelope to material loaded from the manual feed.

The FPI2500's quiet operation makes it suitable for every office environment. The compact system's design also fits into the look of a modern office.

Make tedious manual chores a thing of the past. The FPI2500 provides intelligent, fast assistance with your daily mail!


And best of all – you don't need to decide on a particular model today. The modular system can grow as your needs grow.



### ANYONE CAN DO IT:

Switch ON and add paper. That's it. The FPI2500 recognizes the paper format and automatically configures the job. You can get started right away.

Every step, settings and memory are shown in the big color touchscreen display. Recurring tasks can be saved. The intuitive operating concept enables many users to safely and quickly operate the machine without time-consuming training.





### MULTIPLE PAGE FEED

Feed, fold and insert more than one sheet of paper from the automatic feeder stations. Use a job setting or an OMR solution.

### EQUIPPED FOR YOUR FUTURE

Regardless of which basic model you start with, the modular FPI2500 system enables you to expand or reconfigure at any time: One or two automatic A4-feeder stations which can be combined as desired with a supplement feeder (envelope-shaped materials or reply-envelope)

### OUTSTANDING FEATURES FOR MORE COMFORT, FLEXIBILITY AND SECURITY

#### USER FRIENDLY

##### FILL&START+

The system recognizes which stations are filled, automatically sets the right fold and starts the job.

#### SAFELY RELOAD

##### REAL SHEET CONTROL

Double-feed control by real physical measurement of paper thickness.

#### IMPRESSIVE FOLDING PERFORMANCE

##### EIGHT IN ONE

The FPI2500 series works with a powerful yet quiet folding mechanism. It can simultaneously handle up to 8 documents of varying sizes.

#### INTERRUPTION-FREE OPERATION


##### FEEDER-SWAP

The A4 feeder stations can hold up to 250 sheets. With the tandem-function, one feeder automatically continues the job when the other feeder runs out of material. That saves time when reloading material on bigger jobs.

#### FROM THE PRINTER STRAIGHT TO THE MAIL

##### OMR-FUNCTION

Reads printed marks and automatically collects multiple pages for one envelope. The OMR-Function (Optical Mark Recognition) guarantees the precise order of sheets and selected additional supplements



# FPI2500



## Technical specifications

	FPI2500
Feeder stations	1/1.5/2/2.5
Max. cycles per hour	2,400
Max. volume per month	15,000
Folding capacity in sheets 80 g/m <sup>2</sup>	up to 8
Number of jobs savable	20
Operation by color touchscreen display	yes
Dimensions max., in mm, W x D x H	800 x 445 x 685
Weight max., in kg	55
Noise emission in dBA by ISO 11202	< 68
Environment temperature in °C	10–40
Environment humidity in %	20–65
<b>Documents</b>	
A4 standard feeder capacity/in sheets	250
A4 feeder capacity max. configuration/in sheets	500
DIN-formats	A4, A5, A6
Height/width in mm	90–356/130–230
Paper quality in g/m <sup>2</sup>	60–120 (250)
Short feeder/max. document length/in mm	158
<b>Envelopes</b>	
Feeder capacity in pieces	250
DIN-formats	DL, C6/5, C5
Height/width in mm	90–162/160–165 and 220–242
Envelope quality in g/m <sup>2</sup>	75–120
Filled envelope max. thickness in mm	2
<b>Functions</b>	
Automatic program fill&start+	yes
Tandem operation feeder swap	yes
Multiple sheet feed from A4 station	yes
Separate miscellaneous mail chute	yes
Collect sheets before folding	yes
Single, wrap, zig-zag and double-parallel folds	yes
»No fold« function	yes
»Fold only« function	yes
Item counter	yes
OMR-Code	optional
Real sheet double-feed control	yes
<b>Output tray</b>	
Capacity in filled envelopes	up to 250

Specifications subject to change.

ZERTIFIZIERT  
NACH  
ISO 9001  
ISO 14001

## VARIANTS



### Custom tailored:

All stations can be easily upgraded or reconfigured at any time



The right fold can transform a sheet of A4 into a little brochure. Or the perfect mailing. All modern folding styles used in the office are available: Single, wrap, zig-zag, double-parallel and c-fold (top to bottom).

Francotyp-Postalia  
Vertrieb und Service GmbH  
Triftweg 21-26  
16547 Birkenwerder  
freecall: 0800 3726268  
Telefax: 03303 525-396  
E-Mail: info@francotyp.com



fp-francotyp.com